Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	("20020121397" "5293260" "532342 3" "6067180" "6233077").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ;	2007/02/11 14:42
S2	5	(US-20020121397-\$).did. or (US-5293260-\$ or US-5323423-\$ or US-6067180-\$ or US-6233077-\$). did.	US-PGPUB; USPAT	OR	ON	2007/02/11 20:02
S3	5	(US-20020121397-\$).did. or (US-5293260-\$ or US-5323423-\$ or US-6067180-\$ or US-6233077-\$). did.	US-PGPUB; USPAT	OR	ON	2007/02/11 19:18
S4	0	S3 and (electrical near4 regenerator) and (equaliz\$5) and (clock near4 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 19:19
S5	2	S3 and (equaliz\$5) and (clock near4 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 19:19
S6		S3 and (peak near2 detect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2007/02/11 20:08
S7	2	S3 and (feedback or (test near3 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:46
S8	0	S3 and ((test near3 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:12

				,		•
S9	406	equaliz\$6 and (test near2 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/11 20:12
S10	217	S9 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:47
S11	2	S10 and ((test near3 loop) same (equaliz\$5 near4 input) same output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:22
S12	3	S10 and ((test near3 loop) same (equaliz\$5 near4 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:18
S13	26	S10 and ((test near3 loop) same (output with input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:18
S14	26	S13 and equaliz\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:23
S15	. 0	S3 and (network near3 element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:22
S16	41	(network near3 element) and (electrical near4 path) and (regenerator or remodultaor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:23

	,	, <u>, , , , , , , , , , , , , , , , , , </u>				
S17	41	(network near3 element) and (electrical near4 path) and (regenerator or remodulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:23
S18	9	S17 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:44
S19	0	S18 and crossconnect and (switch\$5 near3 matrix) and (switch near3 module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/11 20:25
S20	0	S18 and (switch\$5 near3 matrix) and (switch near3 module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:25
S21	1	S18 and (switch\$5 near3 matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/02/11 20:25
S22	0	S18 and (switch\$4 near4 matrix) and (switch near4 module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:33
S23	0	S18 and (switch\$4 near4 matrix) and (module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:33
S24	1	S18 and (switch\$4 near4 matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/02/11 20:33
S25	1	(US-20030002498-\$).did.	US-PGPUB	OR	ON	2007/02/11 20:42
S26	1	(US-5552962-\$).did.	USPAT-	OR	ON	2007/02/11 20:42

S27	. 2	(US-20030002498-\$).did. or (US-5552962-\$).did.	US-PGPUB; USPAT	OR	ON.	2007/02/11 20:43
S28	0	S27 and (test near3 signal)	US-PGPUB; USPAT	OR	ON	2007/02/11 20:43
S29	0	S18 and (test near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:43
S30	186	(matrix near3 module) and (test near3 (signal or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/02/11 20:44
S31	122	S30 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:56
S32	0	S31 and (regenerator) and (alarm same ((test near3 signal) or (input near3 signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:49
S33	0	S31 and (regenerator) and (alarm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:46
534	3	S31 and (regenerator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:50
S35	109	S31 and (test near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/02/11 20:50

					· · · · · · · · · · · · · · · · · · ·	1
S36	3	S35 and (regenerator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:50
S37	33	S35 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:50
S38	1	(US-5991270-\$).did.	USPAT	OR ·	ON	2007/02/11 20:54
S39	0	S27 and (alarm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/11 20:55
S40	27	regenerator and (alarm) and ((test near3 signal) same (input near3 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:56
S41	21	S40 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:07
S42	12	S41 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:57
S43	1	(US-5278404-\$).did.	USPAT	OR	ON	2007/02/11 21:07
S44	1908	(test near3 signal) same (alarm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:07
S45	1530	S44 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:08

S46	222	S45 and optical	US-PGPUB;	OR	ON	2007/02/11 21:08
310		o io una optical	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S47	8	S46 and (regenerator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:08
S48	1	(US-6233077-\$).did.	USPAT	OR	ON	2007/02/11 21:19
S49	2	(US-5323423-\$ or US-6067180-\$). did.	USPAT	OR	ON	2007/02/11 21:21
S50	1	S14 and carriere	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:24
S51	1	(US-5504778-\$).did.	USPAT	OR	ON	2007/02/11 21:24
S52	. 0	regenerat\$6 and (clock near3 recovery) and (equaliz\$%)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:46
S53	588	regenerat\$6 and (clock near3 recovery) and (equaliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 15:56
S54	265	S53 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:47
S55	151	S54 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:47

S56	196	(matrix near3 module) and (test near3 (signal or port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 13:51
S57	122	S56 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 13:51
S58	1	(US-4019048-\$).did.	USPAT	OR	ON	2007/07/29 14:02
S59	630	regenerat\$6 and (clock near3 recovery) and (equaliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 14:11
S60	265	S59 and @pd<"20030205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 14:11
S61	151	S60 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/07/29 14:11
S62	137	S61 and (clock near3 recover\$4) and (equaliz\$5) and (switch or select or mux or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 14:14
S63	6	S61 and ((clock near3 recover\$4) same (equaliz\$5) same (switch or select or mux or multiplex\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 14:59
S64	65	S61 and ((clock near3 recover\$4) same (equaliz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 15:00

			Γ			
S65	0	S64 and (equalizer with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 15:00
S66	3	S64 and (equalizer same (switch or select))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/29 15:01
S67	1	(US-5524109-\$).did.	USPAT	OR	ON	2007/07/29 15:21
S68	5	S61 and ((two or plural\$3 or multiple) with (peak near2 detect\$3))	USPAT	OR	ON	2007/07/29 15:26
S69	167	regenerat\$3 and ((two or plural\$3 or multiple) with (peak near2 detect\$3))	USPAT	OR	ON	2007/07/29 15:57
S70	129	S69 and @pd<"20030205"	USPAT	OR	ON	2007/07/29 15:33
S71	36	S70 and optical	USPAT	OR	ON	2007/07/29 15:27
S72	25	S71 and (tape or delay)	USPAT	OR	ON	2007/07/29 17:31
S73	. 6	S72 and equaliz\$5	USPAT	OR	ON	2007/07/29 15:32
S74	224	((FIR or tap) with equalizer) and (peak near2 detect\$3)	USPAT	OR	ON	2007/07/29 15:33
S75	152	S74 and @pd<"20030205"	USPAT	OR	ON	2007/07/29 15:57
S76	33	S75 and optical	USPAT	OR	ON	2007/07/29 15:33
S77	3	S76 and (peak with input) and (peak with output)	USPAT	OR	ON	2007/07/29 15:34
S78	· 7	S61 and (test near3 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 15:56
S79	25	regenerat\$3 same (test near3 loop)	USPAT	OR	ON	2007/07/29 15:57
S80	24	S79 and @pd<"20030205"	USPAT	OR	ON	2007/07/29 15:57
S81	1	S80 and (equaliz\$5) and (clock near3 recovery)	USPAT	OR .	ON	2007/07/29 15:58
S82	8516	((370/441,463,466,506,517) or (398/195) or (375/222,318)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 17:31

S83	14	S82 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/07/29 17:31
*			DERWENT; IBM_TDB			



Home | Login | Logout | Access Information | Alerts |

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((regenerator and (peak <near/3> detect*))<in>metadata)) <and> (pyr >= 1950 &l..." Your search matched 0 documents.

⊠e-mail

A maximum of 100 results are displayed, 100 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

Modify Search

(((regenerator and (peak <near/3> detect*))<in>metadata)) <and> (pyr >= 1950 <and

Check to search only within this results set

» Key

Indicates full text access

IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Indexed by Inspec` Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((regenerat* and (peak <near/3> detect*))<in>metadata)) <and> (pyr >= 1950 <..." Your search matched 2 of 1621473 documents.

⊠ e-mail

A maximum of 100 results are displayed, 75 to a page, sorted by Publication year in Ascending order.

» Search Options

View Session History

New Search

» Key

Modify Search

Display Format:

(((regenerat* and (peak <near/3> detect*))<in>metadata)) <and> (pyr >= 1950 <and>

Citation C Citation & Abstract

Search

Check to search only within this results set

IEEE JNL IEEE Journa

IEEE Journal or Magazine

Wagazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

view selected items | Select All Deselect All

1. Automatic voltage regulator with fast dynamic speed

Kwon, B.-H.; Youm, J.-H.; Choi, J.-H.;

Electric Power Applications, IEE Proceedings-

Volume 146, Issue 2, March 1999 Page(s):201 - 207 Digital Object Identifier 10.1049/ip-epa:19990303

AbstractPlus | Full Text: PDF(548 KB) IET JNL

2. Transmit power control with an accurate SNR measurement in M-ary/SS s
DS/CDMA systems

Ito, T.; Sampei, S.; Morinaga, N.;

Personal, Indoor and Mobile Radio Communications, 2000. PIMRC 2000. The

International Symposium on

Volume 2, 18-21 Sept. 2000 Page(s):1420 - 1424 vol.2

Digital Object Identifier 10.1109/PIMRC.2000.881652

AbstractPlus | Full Text: PDF(416 KB) | IEEE CNF

Rights and Permissions

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by
Inspec®